

Notes

Products: RYANFIRE MASTIC

Approvals: AS 1530.4/AS 4072.1

BK: 57

Ref: FP19025

ID: Spec A

Scenario: Penetration seal to 20mm dia. brass wingback.

Services: Up to 20mm dia. brass wingback

Aperture: 35mm / 5mm - 10mm annular.

Construction: 90mm thick insulated fire rated plasterboard.

Fire Resistance: 90 minutes.

Insulation: 60 minutes.

Web based drawings are for example only, fire performance of any system is dependant on, but not limited to size of opening, substrate, if penetrations are passing through, type, size and number. Please refer to Ryanfire technical department for detailed and specific fire performance information.



Client

Job Title

Drawing Title

Ryanfire Mastic - Brass Wingback

Scale
NTS


Date
August 2019

Sheet Size
A3

Drawn By

Drawing Number
V1.4

Rev
1.0



INSTALLATION INSTRUCTIONS

1. ENSURE THE APERTURE IS CLEAN AND FREE OF DEBRIS. REMOVE DUST FROM SURFACES REQUIRING INSTALLATION.
2. APPLY RYANFIRE MASTIC WITHIN THE ANNULAR GAP 5MM - 10MM OF THE FULL DEPTH OF THE FIRE RATED PLASTERBOARD.
3. REMOVE EXCESS RYANFIRE MASTIC WITH A DAMP CLOTH.

Please note:
Ryanfire Products Ltd owns and has copyright in these drawings. They are to be used for the purposes for which they were intended. If they are to be sold, transferred or made available for use by a third party,
Any misuse of these drawings will result in legal proceedings.

All errors and omissions excepted - the information contained within this drawing is believed to be correct on the date of publication, and is based upon tested and certified solutions. The policy of Ryanfire Products Ltd is one of constant improvement. Installers must therefore ensure that they are following the latest published drawings, test evidence and instructions. While Ryanfire Products Ltd will endeavour to keep its publications up to date, the accuracy of the information contained within this drawing may be affected by pertinent changes in the law or regulatory requirements and alterations or amendments to the specification of the manufactured products. Terms and conditions of sale apply.

RYANFIRE Technical Support: info@ryanfire.co.nz - Tel 09 443 0362